

RESERVE STUDIES | INSURANCE APPRAISALS | WIND MITIGATION



Windstorm Mitigation Report (OIR-B1-1802)

Bordeaux Village Association, No. 3, Inc.

13602 Frigate Ct. Building N, Units 101N-103N, 201N-202N

Clearwater, FL 33762

Prepared Exclusively for Bordeaux Village Association, No. 3, Inc.

As of 12-07-2023 | FPAT File# MUD2320925



Felten Property Assessment Team

RECAPITULATION OF MITIGATION FEATURES For 13602 Frigate Ct. Building N, Units 101N-103N, 201N-202N

1. Building Code: Unknown or does not meet the requirements of Answer A or B

Comments: The year of construction was verified as 1981 per Pinellas County

Property Appraiser.

2. Roof Covering: FBC Equivalent

Comments: The roof covering was replaced in 2017. The roof permit was confirmed

and the permit number is PER-H-CW17-00913. This roof was verified as meeting the building code requirements outlined on the mitigation

affidavit.

3. Roof Deck Attachment: Level C

Comments: Inspection verified 1/2" plywood roof deck attached with 8d nails at a

minimum 6" on the edge & 6" in the field.

4. Roof to Wall Clips

Attachment:

Comments: Inspection verified hurricane clips fastened with a minimum of three

nails.

5. Roof Geometry: Other Roof

Comments: Inspection verified a gable roof shape.

6. SWR: Yes

Comments: SWR was verified at time of inspection. The Secondary Water Resistance

verified is a self-adhering peel and stick.

7. Opening Protection: None or Some Glazed Openings

Comments: No opening protection verified at the time of inspection.

Address Verification



Exterior Elevation



Exterior Elevation



Exterior Elevation



Roof Permit Information





Record PER-H-CW17-00913: Express Building Permit Record Status: Finaled Record Info * Payments * Work Location 13602 FRIGATE CT * Clearwater FL Record Details Replacing a water heater, AC unit or water softener? Virtual inspections are now available for these permit types. Learn more. Virtual inspections will be available for more permit types soon. Licensed Professional: THOMAS MILLARD Units atsey@albrightnoofing.biz. OVEN, THOMAS MILLARD CONTRACTING, INC. CLEARWATER, L. 33762. Phone 7275412949 BUILDING COCT327605 BUILDING COCT327605 View Additional Licensed Professionals>> *More Details | Additional Licensed Professionals>> | Additional Information | Job Value(S): 516,250.00 | Application Information | Parcel Number 023016103470141010 *

Subdivision:10347

Block:014

SITUS: 13602 101N FRIGATE CT













SUPPORTING DOCUMENTION OF WINDSTORM MITIGATION FEATURES LOCATED AT: 13602 Frigate Ct. Building N, Units 101N-103N, 201N-202N

FPAT File #MUD2320925



Roof Construction



Uniform Mitigation Verification Inspection Form

Maintain a copy of this form and any documentation provided with the insurance policy

1,5	, ,	1 7					
Inspection Date: 12-07-2023							
Owner Information							
Owner Name: Bordeaux Village Association	Contact Person: Scott Vignery						
Address: 13602 Frigate Ct. Building N, Ur	Home Phone:						
City: Clearwater	Zip: 33762	Work Phone: (727) 726-8000					
County: Pinellas		Cell Phone:					
Insurance Company:		Policy #:					
Year of Home: 1981	# of Stories: 2	Email: svignery@ameritechmail.com					

NOTE: Any documentation used in validating the compliance or existence of each construction or mitigation attribute must accompany this form. At least one photograph must accompany this form to validate each attribute marked in questions 3 though 7. The insurer may ask additional questions regarding the mitigated feature(s) verified on this form.

1.	Building Code : Was the structure built in compliance with the Florida Building Code (FBC 2001 or later) OR for homes located in
	the HVHZ (Miami-Dade or Broward counties), South Florida Building Code (SFBC-94)?
	A. Built in compliance with the FBC: Year Built . For homes built in 2002/2003 provide a permit application with a date after
	3/1/2002: Building Permit Application Date (MM/DD/YYYY)
	B. For the HVHZ Only: Built in compliance with the SFBC-94: Year Built For homes built in 1994, 1995, and 1996
	provide a permit application with a date after 9/1/1994: Building Permit Application Date (MM/DD/YYYY)//
X	C. Unknown or does not meet the requirements of Answer "A" or "B"

2. **Roof Covering:** Select all roof covering types in use. Provide the permit application date OR FBC/MDC Product Approval number OR Year of Original Installation/Replacement OR indicate that no information was available to verify compliance for each roof covering identified.

2.1 Roof Covering Type:	Permit Application Date	FBC or MDC Product Approval #	Year of Original Installation or Replacement	No Information Provided for Compliance
[X] 1. Asphalt/Fiberglass Shingle	01-27-2017		2017	[]
[] 2. Concrete/Clay Tile				[]
[] 3. Metal				[]
[] 4. Built Up				[]
[] 5. Membrane				[]
[] 6. Other				[]

- [X] A. All roof coverings listed above meet the FBC with a FBC or Miami-Dade Product Approval listing current at time of installation OR have a roofing permit application date on or after 3/1/02 OR the roof is original and built in 2004 or later.
- [] B. All roof coverings have a Miami-Dade Product Approval listing current at time of installation OR (for the HVHZ only) a roofing permit application after 9/1/1994 and before 3/1/2002 OR the roof is original and built in 1997 or later.
- [] C. One or more roof coverings do not meet the requirements of Answer "A" or "B".
- [] D. No roof coverings meet the requirements of Answer "A" or "B".
- 3. Roof Deck Attachment: What is the weakest form of roof deck attachment?
- [] A. Plywood/Oriented strand board (OSB) roof sheathing attached to the roof truss/rafter (spaced a maximum of 24" inches o.c.) by staples or 6d nails spaced at 6" along the edge and 12" in the field. -OR- Batten decking supporting wood shakes or wood shingles. -OR- Any system of screws, nails, adhesives, other deck fastening system or truss/rafter spacing that has an equivalent mean uplift less than that required for Options B or C below.
- [] B. Plywood/OSB roof sheathing with a minimum thickness of 7/16"inch attached to the roof truss/rafter (spaced a maximum of 24"inches o.c.) by 8d common nails spaced a maximum of 12" inches in the field.-OR- Any system of screws, nails, adhesives, other deck fastening system or truss/rafter spacing that is shown to have an equivalent or greater resistance than 8d nails spaced a maximum of 12 inches in the field or has a mean uplift resistance of at least 103 psf.
- [X] C. Plywood/OSB roof sheathing with a minimum thickness of 7/16"inch attached to the roof truss/rafter (spaced a maximum of 24"inches o.c.) by 8d common nails spaced a maximum of 6" inches in the field. -OR- Dimensional lumber/Tongue & Groove decking with a minimum of 2 nails per board (or 1 nail per board if each board is equal to or less than 6 inches in width). -OR- Any system of screws, nails, adhesives, other deck fastening system or truss/rafter spacing that is shown to have an equivalent

Inspectors Initials Property Address 13602 Frigate Ct. Building N, Units 101N-103N, 201N-202N, Clearwater

^{*}This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.

182 psf.	
[] D. Reinforced Concrete Roof Deck.	
[] E. Other:	
F. Unknown or unidentified.	
[] G. No attic access.	
5 feet of the inside or outside corner	the $\underline{WEAKEST}$ roof to wall connection? (Do not include attachment of hip/valley jacks within of the roof in determination of WEAKEST type)
[] A. Toe Nails	
top plate of the wall, of	
[] Metal connectors th	at do not meet the minimal conditions or requirements of B, C, or D
	categories B, C, or D. All visible metal connectors are: fter with a minimum of three (3) nails, and
the blocking of corrosion.	all top plate of the wall framing, or embedded in the bond beam, with less than a ½" gap from or truss/rafter and blocked no more than 1.5" of the truss/rafter, and free of visible severe
[X] B. Clips	
[] Metal connectors w	that do not wrap over the top of the truss/rafter, or with a minimum of 1 strap that wraps over the top of the truss/rafter and does not meet the nail of C or D, but is secured with a minimum of 3 nails.
[] C. Single Wraps	
	s consisting of a single strap that wraps over the top of the truss/rafter and is secured with a ils on the front side and a minimum of 1 nail on the opposing side.
[] D. Double Wraps	
beam, on either side o minimum of 2 nails o [] Metal connectors co	onsisting of 2 separate straps that are attached to the wall frame, or embedded in the bond of the truss/rafter where each strap wraps over the top of the truss/rafter and is secured with a on the front side, and a minimum of 1 nail on the opposing side, or consisting of a single strap that wraps over the top of the truss/rafter, is secured to the wall on ured to the top plate with a minimum of three nails on each side.
	ly connected or reinforced concrete roof.
F. Other:	
[] G. Unknown or unidentified	
[] H. No attic access	
	nape? (Do not consider roofs of porches or carports that are attached only to the fascia or wall of pace in the determination of roof perimeter or roof area for roof geometry classification).
1	n no other roof shapes greater than 10% of the total roof system perimeter. of non-hip features: ; Total roof system perimeter:
[] B. Flat Roof Roof on a bu	ilding with 5 or more units where at least 90% of the main roof area has a roof slope of less pof area with slope less than 2:12: sq ft; Total roof area: sq ft
	t does not qualify as either (A) or (B) above.
	R): (standard underlayments or hot-mopped felts do not qualify as an SWR)
	Deck) Self-adhering polymer modified-bitumen roofing underlayment applied directly to the WR barrier (not foamed-on insulation) applied as a supplemental means to protect the dwelling nt of roof covering loss.
[] B. No SWR.	
[] C. Unknown or undetermined.	

or greater resistance than 8d common nails spaced a maximum of 6 inches in the field or has a mean uplift resistance of at least

Inspectors Initials Property Address 13602 Frigate Ct. Building N, Units 101N-103N, 201N-202N, Clearwater

*This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.

7. **Opening Protection:** What is the **weakest** form of wind borne debris protection installed on the structure? **First**, use the table to determine the weakest form of protection for each category of opening. **Second**, (a) check one answer below (A, B, C, N, or X) based upon the lowest protection level for ALL Glazed openings **and** (b) check the protection level for all Non-Glazed openings (.1, .2, or .3) as applicable.

Opening Protection Level Chart			Non-Glazed Openings				
Place an "X" in each row to identify all forms of protection in use for each opening type. Check only one answer below (A thru X), based on the weakest form of protection (lowest row) for any of the Glazed openings and indicate the weakest form of protection (lowest row) for Non-Glazed openings.			Garage Doors	Skylights	Glass Block	Entry Doors	Garage Doors
N/A	Not Applicable- there are no openings of this type on the structure		Х	Х	Χ		X
Α	Verified cyclic pressure & large missile (9-lb for windows doors/4.5 lb for skylights)						
В	Verified cyclic pressure & large missile (4-8 lb for windows doors/2 lb for skylights)						
С	Verified plywood/OSB meeting Table 1609.1.2 of the FBC 2007						
D	Verified Non-Glazed Entry or Garage doors indicating compliance with ASTM E 330, ANSI/DASMA 108, or PA/TAS 202 for wind pressure resistance						
N	Opening Protection products that appear to be A or B but are not verified						
IN	Other protective coverings that cannot be identified as A, B, or C						·
Х	No Windborne Debris Protection	Χ				Χ	·

- [] A. Exterior Openings Cyclic Pressure and 9-lb Large Missile (4.5 lb for skylights only) All Glazed openings are protected at a minimum, with impact resistant coverings or products listed as wind borne debris protection devices in the product approval system of the State of Florida or Miami-Dade County and meet the requirements of one of the following for "Cyclic Pressure and Large Missile Impact" (Level A in the table above).
 - Miami-Dade County PA 201, 202, and 203
 - Florida Building Code Testing Application Standard (TAS) 201, 202, and 203
 - American Society for Testing and Materials (ASTM) E 1886 and ASTM E 1996
 - Southern Standards Technical Document (SSTD) 12
 - For Skylights Only: ASTM E 1886 and ASTM E 1996
 - For Garage Doors Only: ANSI/DASMA 115
 - [] A.1 All Non-Glazed openings classified as A in the table above, or no Non-Glazed openings exist
 - ☐ A.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level B, C, N, or X in the table above
 - [] A.3 One or More Non-Glazed Openings is classified as Level B, C, N, or X in the table above
- [] <u>B. Exterior Opening Protection- Cyclic Pressure and 4 to 8-lb Large Missile (2-4.5 lb for skylights only)</u> All Glazed openings are protected, at a minimum, with impact resistant coverings or products listed as windborne debris protection devices in the product approval system of the State of Florida or Miami-Dade County and meet the requirements of one of the following for "Cyclic Pressure and Large Missile Impact" (Level B in the table above):
 - ASTM E 1886 <u>and</u> ASTM E 1996 (Large Missile 4.5 lb.)
 - SSTD 12 (Large Missile 4 lb. to 8 lb.)
 - For Skylights Only: ASTM E 1886 and ASTM E 1996 (Large Missile 2 to 4.5 lb.)

B.1 All Non-Glazed openings classified as A or B in the table above, or no Non-Glazed openings exist
B.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level C, N, or X
in the table above
B 3 One or More Non-Glazed openings is classified as Level C. N. or X in the table above

] C. Exteri	ior Opening Protection-	Wood Structural Panels meeting F	FBC 2007	All Glazed openings are covered with plywood/OSB
me	eeting the requirements of	of Table 1609.1.2 of the FBC 2007 (I	Level C in	the table above).
□ C.	.1 All Non-Glazed openings	classified as A, B, or C in the table abov	e, or no No	on-Glazed openings exist

☐ C.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level N or X in the table above	*	U		*		C	
the table above	C.2 One or More Non-Gl	azed openings cla	ssified as Level D in the ta	ble above, and no No	n-Glaz	zed openings classified as Level N	or X in
	the table above						

☐ C.3 One or More Non-Glazed openings is classified as Level N or X in the table above

Inspectors Initials Property Address 13602 Frigate Ct. Building N, Units 101N-103N, 201N-202N, Clearwater

^{*}This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.

FPAT File #MUD2320925

[] N. Exterior Opening Protection (unverified shutter system) protective coverings not meeting the requirements of "B" with no documentation of compliance (Level N i	Answer "A", "B", or C" o				
□ N.1 All Non-Glazed openings classified as Level A, B, C, or N in the table above, or no Non-Glazed openings exist					
☐ N.2 One or More Non-Glazed openings classified as Level I table above	o in the table above, and no No	on-Glazed openings classified as Level X in the			
☐ N.3 One or More Non-Glazed openings is classified as Leve	X in the table above				
[X] X. None or Some Glazed Openings One or more Glazed		vel X in the table above.			
MITIGATION INSPECTIONS MUST B Section 627.711(2), Florida Statutes, provi					
Qualified Inspector Name: John Felten	License Type: CBC	License or Certificate #: CBC1255984			
Inspection Company: Felten Property Assessment Team		Phone: 866-568-7853			
Qualified Inspector – I hold an active license as a:	(check one)				
☐ Home inspector licensed under Section 468.8314, Florida Statute training approved by the Construction Industry Licensing Board a					
 □ Building code inspector certified under Section 468.607, Florida □ General, building or residential contractor licensed under Section 					
☐ Professional engineer licensed under Section 471.015, Florida Sta	itutes.				
☐ Professional architect licensed under Section 481.213, Florida Sta	itutes.				
Any other individual or entity recognized by the insurer as possess verification form pursuant to Section 627.711(2), Florida Statutes		ns to properly complete a uniform mitigation			
Individuals other than licensed contractors licensed under Sunder Section 471.015, Florida Statues, must inspect the str Licensees under s.471.015 or s.489.111 may authorize a direxperience to conduct a mitigation verification inspection. I, John Felten am a qualified inspector and I contractors and professional engineers only) I had my emplo and I agree to be responsible for his/her work.	uctures personally and no ect employee who possesse personally performed the	s the requisite skill, knowledge, and e inspection or (licensed			
Qualified Inspector Signature: Date An individual or entity who knowingly or through gross neg is subject to investigation by the Florida Division of Insurar appropriate licensing agency or to criminal prosecution. (Se certifies this form shall be directly liable for the misconduct performed the inspection.	nce Fraud and may be subsection 627.711(4)-(7), Flori	ject to administrative action by the ida Statutes) The Qualified Inspector who			
Homeowner to complete: I certify that the named Qualified residence identified on this form and that proof of identification					
Signature: Date:					
An individual or entity who knowingly provides or utters a obtain or receive a discount on an insurance premium to w misdemeanor of the first degree. (Section 627.711(7), Flori	which the individual or ent				

The definitions on this form are for inspection purposes only and cannot be used to certify any product or construction feature as offering protection from hurricanes.

Inspectors Initials Property Address 13602 Frigate Ct. Building N, Units 101N-103N, 201N-202N, Clearwater

*This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.